

A black and white photograph of a skyscraper, likely the Chrysler Building, viewed from a low angle looking up. The building's iconic Art Deco spire is the central focus, reaching towards a sky filled with soft, textured clouds. The building's facade shows a grid of windows and architectural details. The overall mood is professional and modern.

EI – MAGD

WHERE QUALITY MEETS SECURITY

PIONEERING Automatic Door Solutions

About Us:

At { el - magd } we specialize in delivering cutting-edge solutions for automatic door systems. With extensive expertise and a proven track record in the field, we offer a wide range of high-performance motors for various types of doors including **(shutter doors, swing gates, sliding gates, barriers, and photocell mechanisms)** . Our products are designed for unmatched reliability, security, and ease of use, ensuring a seamless experience for both residential and commercial clients.

We are committed to delivering superior quality, advanced technology, and exceptional customer service. Whether you're looking for automation for your home, business, or industrial site, we have the perfect solution tailored to your needs.

Our Vision:

To be the leading provider of innovative and sustainable automatic door solutions, setting the benchmark for convenience, safety, and efficiency across all sectors.

Our Mission:

To drive continuous innovation and deliver state-of-the-art automatic door systems .
We are committed to maintaining the highest standards of quality and customer satisfaction, offering unmatched warranty options and delivering the most competitive prices in the industry.

ROLLING - UP SHUTTER DOORS



CENTRAL MOTORS FOR ROLLING – UP SHUTTER DOORS



ACM 190



W	630
KG	190
A	2.7
RPM	10
V	220



ACM 190 FAST



W	690
KG	190
A	2.7
RPM	18
V	220



ACM 260



W	665
KG	260
A	2.7
RPM	10
V	220

CENTRAL MOTORS FOR ROLLING – UP SHUTTER DOORS



3S 180



W	600
KG	180
A	2.8
RPM	10
V	220



STRONG 260



W	800
KG	260
A	3.48
RPM	10
V	220



STRONG 340



W	1200
KG	340
A	5.8
RPM	8
V	220

SIDE MOTORS FOR ROLLING - UP SHUTTER DOORS



STRONG 600



W	370
KG	600
A	3.3
RPM	4.8
V	220

- NORMAL SPEED
- HIGH SPEED

- MAY ALSO COME WITH BATTERY

SIDE MOTORS FOR ROLLING - UP SHUTTER DOORS



STRONG 1000



W	400
KG	1000
A	4.9
RPM	3.5
V	220



STRONG 1500



W	1000
KG	1500
A	3.8
RPM	5.2
V	380



STRONG 2000



W	1000
KG	2000
A	4.1
RPM	3.6
V	380

SIDE MOTORS FOR ROLLING - UP SHUTTER DOORS



W	370
KG	600
A	3.3
RPM	4.6
V	220



SWING

Gate Motors

COMMONLY USED IN RESIDENTIAL ,
COMMERCIAL , AND INDUSTRIAL SETTINGS .
OFFERING A COMBINATION OF ELEGANCE,
SECURITY, AND EASE OF OPERATION.
THESE GATES ARE IDEAL FOR WIDE
ENTRANCES AND CAN BE AUTOMATED
FOR ENHANCED CONVENIENCE.

SWING Gate Motors



STRONG 350
* 2 ARMS
* 3 REMOTES
* PHOTOCELL




BFT 300
* 2 ARMS
* 3 REMOTES
* PHOTOCELL



BFT 500
* 2 ARMS
* 3 REMOTES
* PHOTOCELL



WHEELS 500
* 2 PARTS
* 3 REMOTES
* PHOTOCELL



WHEELS 1000
* 2 PARTS
* 3 REMOTES
* PHOTOCELL



WHEELS 1500
* 2 PARTS
* 3 REMOTES
* PHOTOCELL

ARM STRONG 350

≤ 350 KG
SINGLE DOOR CAN
WITHSTAND 350 KG

≤ 3.5 M
SINGLE DOOR LEAF
WIDTH CAN REACH 3.5 M

60 W
60 W STRONG MOTOR POWER

* slow down option



ARM BFT 300

≤ 300 KG
SINGLE DOOR CAN
WITHSTAND 300 KG

≤ 2 M
SINGLE DOOR LEAF
WIDTH CAN REACH 2 M

200 W
200 W STRONG MOTOR POWER

*slow down option



ARM BFT 500

• ≤ 500 KG
SINGLE DOOR CAN
WITHSTAND 500 KG

≤ 3 M
SINGLE DOOR LEAF
WIDTH CAN REACH 3 M

40 W
40 W STRONG MOTOR
POWER

• * slow down option



STRONG WHEELS

500 – 1500

≤ 500 – 1500 KG
SINGLE DOOR CAN
WITHSTAND 500 – 1500 KG

≤ 5 M
SINGLE DOOR LEAF
WIDTH CAN REACH 4 M

40 W
40 W STRONG MOTOR POWER

*** Slow down option**



SLIDING GATES MOTORS

Sliding iron gates are durable and robust gates that move horizontally to one side. They are ideal for securing residential, commercial, or industrial properties, offering a blend of strength, reliability, and space-saving design. These gates can be automated for convenient operation and are perfect for wide entrances.



STRONG SLIDING MOTORS WITH SLOW DOWN OPTION



STRONG 1.3 TONS

≤ 1300 KG
SINGLE DOOR CAN
WITHSTAND 1300 KG

350 W
350 W STRONG MOTOR POWER
SPEED : 12 M / MIN



STRONG 2 TONS

≤ 2000 KG
SINGLE DOOR CAN
WITHSTAND 2000 KG

550 W
550 W STRONG MOTOR POWER
SPEED : 12 M / MIN



STRONG 3 TONS

≤ 3000 KG
SINGLE DOOR CAN
WITHSTAND 3000 KG

750 W
750 W STRONG MOTOR POWER
SPEED : 12 M / MIN

BFT SLIDING MOTORS



BFT 1000 KG

≤ 1000 KG
SINGLE DOOR CAN
WITHSTAND 1000 KG

240 W
240 W STRONG MOTOR
POWER
SPEED : 9 : 12 M / MIN



BFT 1500 KG

≤ 1500 KG
SINGLE DOOR CAN
WITHSTAND 1500 KG

400 W
400 W STRONG MOTOR
POWER
SPEED : 9 : 12 M / MIN



V2 SLIDING MOTORS



V2 2500 KG

≤ 2500 KG
SINGLE DOOR CAN
WITHSTAND 2500 KG

650 W
650 W STRONG
MOTOR POWER
- INVERTER



V2 4000 KG

≤ 4000 KG
SINGLE DOOR CAN
WITHSTAND 4000 KG

1100 W
1100 W STRONG
MOTOR POWER
- INVERTER



BOOM ARM ROAD BARRIER MOTOR

Barriers are devices designed to block or limit access to certain areas. They are commonly used in places like parking lots, gates, or entrances to control traffic and ensure safety and security.



$\leq 3-6 \text{ M}$
ARM WIDTH CAN REACH 6 M

750 W
750 W STRONG MOTOR POWER



$\leq 3-6 \text{ M}$
ARM WIDTH CAN REACH 6 M

240 W
240 W STRONG MOTOR POWER



Glass Automatic Door Operator

These operators are used for automatic glass doors, whether sliding or swing types. They are equipped with photocell sensors that detect movement, ensuring smooth, quiet, and efficient door operation. Commonly used in commercial buildings, shops, offices, hospitals, malls, and hotels, they provide a sleek and modern solution for glass entrances.

STRONG SLIDING PHOTOCELL AUTOMATIC DOOR OPERATOR



STRONG ST 90

**SINGLE DOOR LEAF MAX WEIGHT : 150
DOUBLE DOOR LEAF MAX WEIGHT : 140 x2**



STRONG ST 125

**SINGLE DOOR LEAF MAX WEIGHT : 150
DOUBLE DOOR LEAF MAX WEIGHT : 140 x2**

AUTOMATIC SLIDING PHOTOCELL AUTOMATIC DOOR OPERATOR



AUTOMATICO

SINGLE DOOR LEAF MAX WEIGHT : 220
DOUBLE DOOR LEAF MAX WEIGHT : 180x2

- AVAILABLE IN ITALIAN & GERMAN MOTOR




Automatico

AUTOMATIC SLIDING PHOTOCELL AUTOMATIC DOOR OPERATOR



3.15 M




IT IS CAPABLE OF HANDLING AN OPENING
WIDTH REACHING UP TO 3.15 METERS.




Automatico

AUTOMATIC REVOLVING DOOR OPERATOR



SLIDING DOOR OPERATOR ST HOUSEHOLD



ST HOUSEHOLD

SINGLE DOOR LEAF MAX WEIGHT : 80

DOUBLE DOOR LEAF MAX WEIGHT : 60x2

MAX DOOR LEAF WIDTH : 1.2 M

STRONG SWING PHOTOCELL AUTOMATIC DOOR OPERATOR



SWING GLASS DOOR OPERATOR SW - 100

**MAX DOOR WEIGHT : 100 KG
OPEN / CLOSE SPEED : 45° / S
OPENING DEGREE : MAX 110°**


STRONG SWING PHOTOCELL AUTOMATIC DOOR OPERATOR



**SWING GLASS DOOR OPERATOR
SW - 200**

**MAX DOOR WEIGHT : 180 KG
OPEN / CLOSE SPEED : 45° / S
OPENING DEGREE : MAX 115°**

STRONG SWING DOOR OPERATOR



UNDER-FLOOR GLASS DOOR OPERATOR

INSTALLATION MATERIAL : WOODEN DOORS ,
ALLUMINUM DOORS AND GLASS DOORS .

MAX DOOR WEIGHT : 150 KG

MAX DOOR WIDTH : 1.20 M

OPENING DIRECTION : TWO WAY

SMART HOME DEVICES



WI-FI DIY SMART SWITCH MINI R4



Specifications

Input:	100-240V ~ 50/60Hz 10A Max
Output:	100-240V ~ 50/60Hz 10A Max
Model:	MINIR4
Wi-fi:	IEEE 802.11 b/g/n 2.4 GHz
Material:	PC V0
Dimension:	39.5x33x16.8mm

WI-FI SMART WALL SWITCH



App control



Timing schedules



Voice control



Share control



433 MHz control



Touch control



LED BACKLIGHT



Smart control


WI-FI WIRELESS SMART SWITCH BASIC R2



Specifications

Input:	100-240V AC 50/60Hz
Output:	100-240V AC 50/60Hz
Max.Load:	10A/2200W
Gang:	1- gang
Wi-fi:	IEEE 802.11 b/g/n 2.4 GHz
Material:	PC
Box Size:	90x41x27mm
Weight:	58g

WI-FI DIY SMART SWITCH 4CH R3



Specifications

Input:	100-240V AC 50/60Hz
Output:	100-240V AC 50/60Hz
Max.Load:	10A/2200W
Gang:	4 - gang
Wi-fi:	IEEE 802.11 b/g/n 2.4 GHz
Model:	4CH R3
Dimension:	145x90x34mm

WI-FI SMART SWITCH 4CH PRO R3



REMOTE
CONTROL



VOICE
CONTROL



TIMING
SCHEDULE



SHARE
CONTROL




SYNC
STATUS



SMART
SCENE



POWER
ON STATE



WI-FI SMART SWITCH RF BRIDGE R2

Specifications

Input:	5V --- 1A
Operating systems:	Android & iOS
Material:	PC V0
Wi-fi:	IEEE 802.11 b/g/n 2.4 GHz
Model:	RF Bridge R2
Dimension:	62x62x20mm



Interior Finishing

We provide a selected range of interior finishing services that combine elegance and functionality, including folding glass, handrails, shower cabins, mirrors, kitchen cabinets, pergolas, shutter windows and doors .

FOLDING GLASS

Folding glass system combines elegance and functionality, creating seamless spaces with a wide panoramic view .

HANDRAIL


Glass handrail system delivers sleek transparency and modern elegance, ensuring safety without compromising the view .



SHOWER ENCLOSURE

Glass shower enclosures offer a contemporary solution that blends elegance and practicality, creating a refined and comfortable bathing space.

H
A
N
D
L
E



TEMPERD GLASS

C
L
A
M
P
S



MIRRORS

Mirrors are distinguished by their elegant variety of shapes, such as square, rectangular, oval, and round.



Pergolas

All seasons outdoor pergolas, designed to add elegance and functionality to your outdoor spaces, providing shade, comfort, and a stylish atmosphere all year round.




SHUTTER WINDOWS - DOORS

Roller shutters are durable and versatile coverings for doors or windows , typically crafted from metal. They are designed to provide excellent security, insulation, and protection against weather elements. Commonly used in commercial, industrial, and residential applications, roller shutters are ideal for securing storefronts, garages, and warehouses.



SHUTTER

WINDOWS - DOORS



SHUTTER WINDOWS & DOORS

Quiet & low noise

Precise mechanical limit

Stable performance



INNER STRUCTURE PICTURE

10 N

20 N

30 N

40 N

50 N

80 N

120 N

SHUTTER WINDOWS & DOORS

Quiet & low noise

Precise mechanical limit

Stable performance



INNER STRUCTURE PICTURE

10 N

20 N

30 N

40 N

50 N

80 N


120 N



Automatico

WE EXECUTE ALL TYPE OF DOORS

**ROLLING - UP
SHUTTER DOOR**



SWING GATE



SLIDING GATE



**TEMPERD
GLASS DOOR**



**FOLDING
DOOR - WINDOW**



**STAINLESS STEEL
OPERATION DOORS**



**SHUTTER
WINDOW - DOORS**



BUSINESS PARTNERS





25 – EMARAT EL OBOR SALAH SALEM ST
NEW CAIRO – CAIRO

9 EMARAT EL MAHDY – VILL
BANHA – QALUBIA

CONTACT US



www.magdco.com



info@magdco.com

Sales@magdco.com



SALES :



EL - MAGD COMPANY

EL MAGD

OPENING THE FUTURE WITH SMART TECHNOLOGY SOLUTIONS

